| | _ | | | |
|-------------|-------|---|--|---------------------|
| L Number | Hits | Search Text | DB | Time stamp |
| - | 2094 | batch with (id or identification identifier) | USPAT; US-PGPUB; EPO; JPO; | 2004/04/07 18:52 |
| - | 9 | batch with (id or identification identifier) with registrat\$3 and (watermark) | DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/07 18:53 |
| - | 9 | batch with (id or identification identifier) with registrat\$3 and (watermark) and (embed\$5 with file) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/07 18:53 |
| _ | 30 | batch with (id or identification identifier) with registrat\$3 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/07 19:10 |
| - | 5251 | (embed\$5 with file) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/07 19:03 |
| _ | 638 | (embed\$5 with file) same internet | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/07 19:03 |
| - | 5977 | <pre>(request\$4 order\$4)same (id or identification identifier) same registrat\$3</pre> | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/07 19:12 |
| - | 35161 | (request\$4 order\$4)same (id or identification identifier code) same (registrat\$3 register\$4) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/07 19:14 |
| _ | 13180 | (request\$4 order\$4)same (set batch group) same(id or identification identifier code) same (registrat\$3 register\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/04/07 |
| - | 645 | ((request\$4 order\$4)same (set batch group) same(id or identification identifier code) same (registrat\$3 register\$4)) and (embed\$5 watermark) same (set batch group) same(id or identification identifier code) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/07 19:18 |
| - | 41 | <pre>((request\$4 order\$4)same (set batch group) same(id or identification identifier code) same (registrat\$3 register\$4)) and (embed\$5 watermark) same (set batch group) same(id or identification identifier code) same</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/07 |
| _ | 160 | media ((request\$4 order\$4)same (set batch group) same(id or identification identifier code) same (registrat\$3 register\$4)) and (embed\$5 watermark) same (set batch group) same(id or identification identifier code) same signals | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/07 19:19 |

| _ | | | | |
|---|------|--|---|---------------------|
| - | 115 | <pre>(((request\$4 order\$4)same (set batch group) same(id or identification identifier code) same (registrat\$3 register\$4)) and (embed\$5 watermark) same (set batch group) same(id or identification identifier code) same</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/07 19:29 |
| - | 4250 | signals) and internet embedd\$4 with instruction | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/07 19:19 |
| - | 1 | <pre>((((((request\$4 order\$4)same (set batch group) same(id or identification identifier code) same (registrat\$3 register\$4)) and (embed\$5 watermark) same (set batch group) same(id or identification identifier code) same signals) and internet) and (embedd\$4 with instruction)) and (request\$4 order\$4)same internet same (registrat\$3 register\$4)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/07 19:21 |
| - | 92 | <pre>((((request\$4 order\$4)same (set batch group) same(id or identification identifier code) same (registrat\$3 register\$4)) and (embed\$5 watermark) same (set batch group) same(id or identification identifier code) same signals) and internet) and (embedd\$4 with instruction)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/07 19:22 |
| - | 0 | <pre>((((((request\$4 order\$4)same (set batch group) same(id or identification identifier code) same (registrat\$3 register\$4)) and (embed\$5 watermark) same (set batch group) same(id or identification identifier code) same signals) and internet) and (embedd\$4 with instruction)) not ((((request\$4 order\$4)same (set batch group) same(id or identification identifier code) same (registrat\$3 register\$4)) and (embed\$5 watermark) same (set batch group) same(id or identification identifier code) same signals) and internet)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/07 |
| - | 23 | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/07 |
| - | 235 | 1 ' | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/07 19:33 |
| - | 157 | <pre>watermark same (registration or registr\$4) and (internet or web)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/07 19:34 |

| 37 watermark same (registration or registrs(4) same (internet or web) USPAT; US-PCPUB; 19:35 1 | | | | | |
|---|---|-----|--|---|------------|
| - 681 (download\$4 request\$4) near (watermark or embed\$4) and ((dynamic\$4 automa\$3 automatic\$4) with embed\$4) - (download\$4 request\$4) near (watermark or embed\$4) and ((dynamic\$4 automa\$3 automatic\$4) with embed\$4) - (download\$4 request\$4) near (watermark or embed\$4) and ((dynamic\$4 automa\$3 automatic\$4) with embed\$4) and ((insert\$4 or embed\$4) and (embed\$3 or id or identification or identification or identification or identification or identifica | - | 37 | | US-PGPUB; | |
| Septiment Sept | | | | DERWENT; | |
| ISM TDB Clownloads4 request\$4) near (watermark or embed\$4) and ((dynamic\$4 automa\$3 automatic\$4) with embed\$4) SPAT; US-PGPUB; PODERWENT; or embed\$4 and ((dynamic\$4 automa\$3 automatic\$4) with embed\$4] and ((insert\$4 or embed\$4) and ((dynamic\$4 automa\$3 automatic\$4) with signal with (watermark or fingerprint) and ((dynamic\$4 automa\$6 automa\$6 automatic\$6] with signal with (watermark or embed\$4 fingerprint) and ((dynamic\$4 automa\$6 automa\$6 automatic\$6] and ((dynamic\$4 automa\$6) and (dynamic\$4 automa\$6) and (dynamic\$4 automa\$6) and (dynamic\$4 automa\$6) and (dynamic\$4 automa\$6) and (dynamic\$6 and (dynamic\$6) and (dynamic\$6 and | - | 681 | | US-PGPUB; EPO; JPO; | |
| embed\$4) and ((dynamic\$4 automa\$3 automatic\$4) with embed\$4) and ((download\$4 request\$4) near (watermark or embed\$4) with singnal with (watermark or embed\$4 with simpal with (watermark or embed\$4 request\$4) near (watermark or embed\$4 request\$4) near (watermark or embed\$4 request\$4) near (watermark or embed\$4 request\$4) with simpal with (watermark or embed\$4 request\$4) with simpal with (watermark or embed\$4 request\$4) near (watermark or embed\$4 request\$4) near (watermark or embed\$4 remperprint) and ((download\$4 request\$4) near (watermark or embed\$4 remperprint) and ((download\$4 request\$4) near (watermark) or fingerprint\$4 or embed\$4 automa\$3 automatic\$4) same embed\$4 ind (download\$4 request\$4) near (bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 cor watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 cor number)) - 662 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 or number) and ((download\$4 request\$4) near (bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 cor number)) - 0 ((download\$4 request\$4) with signal with ((bur\$4 hid\$4) or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 cor number)) - 0 ((download\$4 request\$4) with signal with ((bur\$4 hid\$4) or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 cor identification or ide | | 147 | (download\$4 request\$4) near (watermark or | IBM_TDB | 2004/04/09 |
| download\$4 request\$4) near (watermark or embed\$4) and ((dynamic\$4 automa\$3) automatic\$4) with embed\$4) and ((insert\$4 or embed\$4) with signal with (watermark or embed\$4 fingerprint) and ((dynamic\$4 automa\$3) automatic\$4) with embed\$4) and ((insert\$4 or embed\$4) with signal with (watermark or embed\$4 fingerprint) and ((dynamic\$4 automa\$5) automatic\$4) with embed\$4) and ((insert\$4 or embed\$4) with signal with (watermark or embed\$4 fingerprint) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 or id or identification or identifier or bit or data or name or tag or number!) and ((dynamic\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 or identification or identifier or bit or data or name or tag or number!) and ((dynamic\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 or identification or identifier or bit or data or name or tag or number!) and ((dynamic\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number!) and ((dynamic\$4 automa\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number!) and ((dynamic\$4) same embed\$4) and ((insert\$4 or embed\$4 generat\$4) with signal with (bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with (bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 or identification or i | | | embed\$4) and ((dynamic\$4 automa\$3 | US-PGPUB; EPO; JPO; DERWENT; | |
| or fingerprint)) (downloads4 requests4) near (watermark or embed\$4 fingerprint) and ((dynamic\$4 automa\$3 automatic\$4) with embed\$4) and ((inserts4 or embed\$4) with signal with (watermark or fingerprint) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$3) or id or identification or identifier or bit or data or name or tag or number)) - 662 (download\$4 request\$4) near ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 or identification or identifier or bit or data or name or tag or number)) or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)) 0 ((download\$4 request\$4) near ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)) 0 ((download\$4 request\$4) with signal with (bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with (bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) and | - | 5 | <pre>embed\$4) and ((dynamic\$4 automa\$3 automatic\$4) with embed\$4) and ((insert\$4</pre> | USPAT; US-PGPUB; EPO; JPO; | l |
| (watermark or fingerprint) (download\$4 request\$4) near (watermark or embed\$4 fingerprint) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((lurs\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$6 or identification or identification or embed\$6 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$6 or embed\$6 quentat\$6 quentat\$6 quentat\$7 and provided fingerprint\$4 or embed\$6 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$6 quentat\$6 | - | 5 | or fingerprint)) (download\$4 request\$4) near (watermark or embed\$4 fingerprint) and ((dynamic\$4 automa\$3 automatic\$4) with embed\$4) and | IBM_TDB USPAT; US-PGPUB; EPO; JPO; | 1 |
| ((burş4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)) and ((download\$4 request\$4) near ((bur\$4 hid\$4 or embed\$3 or id or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$5) automatic\$4) same embed\$4 and ((insert\$4 or embed\$4 or watermark\$3 mark\$3 or id or identifier or bit or data or name or tag or number)) ((download\$4 request\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4 and ((insert\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$6 or identification or identifier or bit or data or name or tag or number))) and ((download\$4 request\$4) near ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$6 or identification or identif | - | 30 | <pre>(watermark or fingerprint)) (download\$4 request\$4) near (watermark or embed\$4 fingerprint) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and</pre> | IBM_TDB USPAT; US-PGPUB; EPO; JPO; | |
| or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)) O ((download\$4 request\$4) mear ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)) I (download\$4 request\$4) near ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$3 or id or identification or identification or identifier or bit or data or name or tag or number)) and regidtration O ((download\$4 request\$4) near ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identification or identification or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or i | | | ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number))) | IBM_TDB | 2004/04/00 |
| 1 ((download\$4 request\$4) near ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number))) and regidtration ((download\$4 request\$4) near ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identification or identification or identification or identification or identification or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or | - | 662 | or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or | US-PGPUB; EPO; JPO; DERWENT; | |
| identification or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)))) and regidtration ((download\$4 request\$4) near ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identification or identification or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or | - | 0 | ((download\$4 request\$4) near ((bur\$4 hid\$4 or watermark\$3 mark\$3 or | US-PGPUB; | 1 |
| hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or | | | identification or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)))) and regidtration | DERWENT; IBM_TDB | |
| ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or | - | 483 | hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or | US-PGPUB; EPO; JPO; DERWENT; | |
| embed\$3 or id or identification or | | | ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 | 15.1155 | |
| or number)))) and (internet web on-line) | | | embed\$3 or id or identification or identifier or bit or data or name or tag | | |

| - | 467 | ((download\$4 request\$4) near ((bur\$4 | USPAT; | 2004/04/09 |
|--------------|-----|---|-------------|------------|
| | | hid\$4 or watermark\$3 mark\$3 or | US-PGPUB; | 22:10 |
| | | fingerprint\$4 or embed\$3 or id or | EPO; JPO; | |
| | | identification or identifier or bit or | DERWENT; | |
| Ì | · ' | data or name or tag or number)) and | IBM TDB | |
| | | ((dynamic\$4 automa\$3 automatic\$4) same | | |
| | | embed\$4) and ((insert\$4 or embed\$4 | | |
| | | generat\$4) with signal with ((bur\$4 hid\$4 | | |
| | | or watermark\$3 mark\$3 or fingerprint\$4 or | | |
| | | embed\$3 or id or identification or | | |
| | | identifier or bit or data or name or tag | | |
| | | or number))).).) and (internet web on-line) | | |
| T | | and (mask\$3 mark\$3 watermark\$3 or | | |
| | | , , | • | |
| | 370 | fingerprint\$3 cod\$3) | 110 D D M . | 2004/04/00 |
| - | 370 | ((download\$4 request\$4) near ((bur\$4 | USPAT; | 2004/04/09 |
| | | hid\$4 or watermark\$3 mark\$3 or | US-PGPUB; | 22:11 |
| | | fingerprint\$4 or embed\$3 or id or | EPO; JPO; | |
| | | identification or identifier or bit or | DERWENT; | |
| | 1 | data or name or tag or number)) and | IBM_TDB | |
| | | ((dynamic\$4 automa\$3 automatic\$4) same | | |
| | | embed\$4) and ((insert\$4 or embed\$4 | | |
| | | generat\$4) with signal with ((bur\$4 hid\$4 | | |
| | | or watermark\$3 mark\$3 or fingerprint\$4 or | | |
| | | embed\$3 or id or identification or | | |
| | | identifier or bit or data or name or tag | | |
| | | or number)))) and (internet web on-line) | | |
| | | and (mask\$3 mark\$3 watermark\$3 or | | |
| 1 | | fingerprint\$3 cod\$3) with (insert\$4 | | |
| | 1 | generat\$4 or embed\$4 detect\$4 extract\$4) | | |
| 1_ | 359 | (((download\$4 request\$4) near ((bur\$4 | USPAT; | 2004/04/09 |
| | 333 | hid\$4 or watermark\$3 mark\$3 or | US-PGPUB; | 22:11 |
| | | fingerprint\$4 or embed\$3 or id or | EPO; JPO; | |
| | | identification or identifier or bit or | DERWENT; | |
| | | | | |
| | 1 | data or name or tag or number)) and | IBM_TDB | |
| | | ((dynamic\$4 automa\$3 automatic\$4) same | | |
| | | embed\$4) and ((insert\$4 or embed\$4 | | |
| 1 | | generat\$4) with signal with ((bur\$4 hid\$4 | | |
| 1 | | or watermark\$3 mark\$3 or fingerprint\$4 or | | |
| | | embed\$3 or id or identification or | | |
| | | identifier or bit or data or name or tag | | |
| | | or number)))) and (internet web on-line) | | |
| | | and (mask\$3 mark\$3 watermark\$3 or | l | |
| | | fingerprint\$3 cod\$3) with (insert\$4 | | |
| | | generat\$4 or embed\$4 detect\$4 extract\$4 | | |
| | |)) not ((download\$4 request\$4) near | | |
| | | (watermark or embed\$4 fingerprint) and | | 1 |
| | | ((dynamic\$4 automa\$3 automatic\$4) same | | |
| | 1 | embed\$4) and ((insert\$4 or embed\$4) with | | |
| | | signal with ((bur\$4 hid\$4 or watermark\$3 | | |
| | | mark\$3 or fingerprint\$4 or embed\$3 or id | | |
| | | or identification or identifier or bit or | 1 | 1 |
| | | data or name or tag or number)))) | 1 | 1 |
| L | | acce of name of eag of name (1) | L | <u> </u> |

| _ | 359 | ((((download\$4 request\$4) near ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number)) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4 generat\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/09 22:11 |
|---|-------|--|---|---------------------|
| | | or number))) and (internet web on-line) and (mask\$3 mark\$3 watermark\$3 or fingerprint\$3 cod\$3) with (insert\$4 generat\$4 or embed\$4 detect\$4 extract\$4)) not ((download\$4 request\$4) near (watermark or embed\$4 fingerprint) and ((dynamic\$4 automa\$3 automatic\$4) same embed\$4) and ((insert\$4 or embed\$4) with signal with ((bur\$4 hid\$4 or watermark\$3 mark\$3 or fingerprint\$4 or embed\$3 or id or identification or identifier or bit or data or name or tag or number))))) and @ad<20031102 | | |
| _ | 14 | "6611830" "6615253" "6679420" "6622247" "6580815" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/12 20:03 |
| - | 14 | (US-6701323-\$ or US-6691117-\$ or US-6684223-\$ or US-6679420-\$ or US-6622247-\$ or US-6615253-\$ or US-6611830-\$ or US-6580815-\$).did. or (US-6622247-\$ or US-6615253-\$ or US-6580815-\$ or US-688799-\$).did. | USPAT; DERWENT | 2004/04/12 |
| - | 7 | | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/12 20:03 |
| - | 0 | 6611830.URPN. | USPAT | 2004/04/14 09:37 |
| - | 11 | ("5875249" "5918214" "5950173" "5978773" "5987459" "6018801" "6035402" "6047374" "6076077" "6122403" "6131162").PN. | USPAT . | 2004/04/14 09:37 |
| _ | 24254 | ((authenticat\$4 identification identity identify\$4) near2 card) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/14 |
| - | 725 | ((authenticat\$4 identification identity identify\$4) near2 card) same camera | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/14 |
| - | 168 | <pre>identify\$4) near2 card) same camera same (watermark embed\$3 code fingerprint)</pre> | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/14 09:44 |
| - | 79 | ((authenticat\$4 identification identity identify\$4) near2 card) same camera same (watermark embed\$3 code fingerprint) and @ad<20001102 | | 2004/04/14 09:52 |



| | | | | 7 | |
|---|---|-----|--|-----------|------------|
| • | - | 381 | ((authenticat\$4 identification identity | USPAT; | 2004/04/14 |
| | | | identify\$4) near2 card) same (extract\$4 | US-PGPUB; | 09:55 |
| | 1 | | decod\$4 provid\$4 read\$3) same | EPO; JPO; | |
| | | | (information data) same (watermark | DERWENT; | |
| | | | embed\$3 code fingerprint) same | IBM_TDB | |
| | | | (registration or register\$4 order\$4 | | |
| | | | authenticat\$4) and @ad<20001102 | | |
| | - | 68 | ((authenticat\$4 identification identity | USPAT; | 2004/04/14 |
| | | | identify\$4) near2 card) same (extract\$4 | US-PGPUB; | 10:12 |
| | | | decod\$4 provid\$4 read\$3) same | EPO; JPO; | |
| | | | (information data) same (watermark | DERWENT; | |
| | | | embed\$3_code_fingerprint) same | IBM TDB | |
| | | | (registration or register\$4 order\$4 | | |
| | | | authenticat\$4) and camera and | | |
| | | | @ad<20001102 | | |
| | _ | 3.4 | ((authenticat\$4 identification identity | USPAT; | 2004/04/14 |
| | | 34 | identify\$4) near2 card) same (extract\$4 | US-PGPUB; | 10:15 |
| | | | | EPO; JPO; | 10.13 |
| | | | decod\$4 provid\$4 read\$3) same | DERWENT; | |
| | | | (information data) same (watermark | | |
| | | | embed\$3 code fingerprint) same | IBM_TDB | |
| | | , | (registration or register\$4 order\$4 | | |
| | | | authenticat\$4) same connect\$4 and camera | | |
| | | | and @ad<20001102 | | |
| | - | 41 | [, , | USPAT; | 2004/04/14 |
| | | | identify\$4) near2 card) same (extract\$4 | US-PGPUB; | 10:17 |
| | | | decod\$4 provid\$4 read\$3) same | EPO; JPO; | |
| | | | (information data code) same (watermark | DERWENT; | |
| | | | embed\$3 code fingerprint mark\$3) same | IBM_TDB | |
| | 1 | | (registration or register\$4 order\$4 | | |
| | | | authenticat\$4) and ((connect\$4) same | | |
| | | | (information data code) same ((| | |
| | | | authenticat\$4 identification identity | | |
| | | | identify\$4) near2 card)) and camera and | | |
| | | | @ad<20001102 | | |